

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	6	radio with frequenc\$3 with plasma with generat\$3 and sensor\$1 with current with voltage\$1 with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 16:11	
2	BRS	0	radio with frequenc\$3 with plasma with generat\$3 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 16:11	
3	BRS	3	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 16:18	
4	BRS	3	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 16:23	
5	BRS	14	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with (mismatch\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 16:24	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	8	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with (mismatch\$3 or match\$3) and cable\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:24	
7	BRS	4	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with (mismatch\$3 or match\$3) and cable\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:25	
8	BRS	4	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with match\$3 and cable\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:25	
9	BRS	5	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and match\$3 with network\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	4	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and match\$3 with network\$1 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:26	
11	BRS	0	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) and scal\$3 with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:32	
12	BRS	3	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:42	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	0	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1 and scal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:43	
14	BRS	2	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1 and scal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:47	
15	BRS	6	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
16	BRS	0	(replace\$5 or repair\$3) with radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:50	
17	BRS	0	(replace\$5 or repair\$3) same radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	1	(replace\$5 or repair\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:51	
19	BRS	0	(replace\$5 or repair\$3 or substitut\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with (sensor\$1 or detector\$1) with current\$1 with voltage\$1 same load\$3 and analy\$4 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	3	(replace\$5 or repair\$3 or substitut\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or recalibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:55	
21	BRS	1	(replace\$5 or repair\$3 or substitut\$3 or upgrad\$3 with add\$5) with component\$1 with (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:55	
22	BRS	14	radio with frequenc\$3 with plasma and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:58	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	13	radio with frequenc\$3 with plasma and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:59	
24	BRS	69	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and scal\$3 with (matrix or matrices or vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:18	
25	BRS	31847	702/57, 60, 64, 65, , 117, 118.c cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 11:22	
26	BRS	264	333/17.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 15:17	
27	BRS	1	"20050119864"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 15:08	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
28	BRS	33849	702/57,60,64,65,,117,118.c cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 15:17	
29	BRS	269	333/17.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 15:17	
30	BRS	75	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and scal\$3 with (matrix or matrices or vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 15:26	
31	BRS	8	radio with frequenc\$3 with plasma with generat\$3 and sensor\$1 with current with voltage\$1 with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 16:11	
32	BRS	2	radio with frequenc\$3 with plasma with generat\$3 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 16:11	
33	BRS	5	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/05 16:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	1	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5 and analysis with module\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:22	
35	BRS	1	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5 and analysis with module\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:22	
36	BRS	1	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5 and analy\$3 with module\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:23	
37	BRS	1	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5 with module\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:23	
38	BRS	5	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:23	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
39	BRS	18	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with (mismatch\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:24	
40	BRS	11	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with (mismatch\$3 or match\$3) and cable\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:24	
41	BRS	5	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with (mismatch\$3 or match\$3) and cable\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:25	
42	BRS	5	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with match\$3 and cable\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
43	BRS	7	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and match\$3 with network\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:26	
44	BRS	5	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and match\$3 with network\$1 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:26	
45	BRS	1	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) and scal\$3 with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
46	BRS	4	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:28	
47	BRS	4	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:43	
48	BRS	4	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	4	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:42	
50	BRS	1	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1 and scal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:42	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
51	BRS	4	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:43	
52	BRS	1	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1 and scal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:43	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
53	BRS	4	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1 and scal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:47	
54	BRS	8	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:48	
55	BRS	0	(replace\$5 or repair\$3) with radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
56	BRS	0	(replace\$5 or repair\$3) same radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:49	
57	BRS	2	(replace\$5 or repair\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
58	BRS	0	(replace\$5 or repair\$3 or substitut\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with (sensor\$1 or detector\$1) with current\$1 with voltage\$1 same load\$3 and analy\$4 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:50	
59	BRS	4	(replace\$5 or repair\$3 or substitut\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
60	BRS	0	(replace\$5 or repair\$3) with radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:50	
61	BRS	2	(replace\$5 or repair\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:51	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
62	BRS	4	(replace\$5 or repair\$3 or substitut\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:55	
63	BRS	2	(replace\$5 or repair\$3 or substitut\$3 or upgrad\$3 with add\$5) with component\$1 with (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:55	
64	BRS	18	radio with frequenc\$3 with plasma and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:58	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
65	BRS	17	radio with frequenc\$3 with plasma and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3 and match\$3 with network\$1 (repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and plasma\$1 and current\$1 with voltage\$1 and base with sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/05 16:59	
66	BRS	1	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and plasma\$1 and current\$1 with voltage\$1 and base with sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:19	
67	BRS	67	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and plasma\$1 and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
68	BRS	3	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and plasma\$1 and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3)) and frequenc\$3 with respons\$3 with characteristic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:33	
69	BRS	1	"20050119864"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:26	
70	BRS	3	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and plasma\$1 and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3)) and determin\$3 with frequenc\$3 with respons\$3 with characteristi\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
71	BRS	4	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3)) and determin\$3 with frequenc\$3 with respons\$3 with characteristi\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:37	
72	BRS	2	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3)) and determin\$3 with sensor\$1 with respons\$4 with characteristi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
73	BRS	1	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3)) and determin\$3 with characteristi\$6 with base with sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:39	
74	BRS	4	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3)) and determin\$3 with characteristi\$6 with sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:42	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
75	BRS	11	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3)) and characteristi\$6 with sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:48	
76	BRS	19	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3)) and characteristi\$6 with sens\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:48	
77	BRS	2	(repair\$4 or replac\$4) with (RF or (radio with frequenc\$3)) and current\$1 with voltage\$1 and (calibrat\$3 or adjust\$4 or compensat\$3) with (RF or (radio with frequenc\$3)) same characteristi\$6 with sens\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 09:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
78	IS&R	3	("6449568").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 11:14	
79	BRS	2699	702/57, 60, 64, 65, 106, 117, 118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 11:23	